


SURVEY PLAT





THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- ⊙ DENOTES SET MAG NAIL W/FLASH
- ⊠ DENOTES SET 1/2" IRON PIN W/CAP
- ⊙ DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.




CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-19, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

SEE INDIVIDUAL PLATS FOR LEGAL DESCRIPTIONS.


I further certify that the above and foregoing is a true and correct plat of the same and that the above description was prepared by L.S. 1533 on October 30th, 2017.

Witness my hand and seal this 31st day of October, 2017.



Copyright October, 2017.

SURVEY PLAT





THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- ⊙ DENOTES SET MAG NAIL W/FLASH
- ⊠ DENOTES SET 1/2" IRON PIN W/CAP
- ⊙ DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.




CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-19, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the West Half of the Southeast Quarter of Section 9, Township 20 North, Range 11 East, Osage County, Oklahoma, and being more particularly described as follows: Commencing at the Southwest corner of the Southeast Quarter, thence S 89°48'46" E along the South line of the Southeast Quarter a distance of 832.57 feet to the point of beginning; thence continuing S 89°48'46" E 283.13 feet to a MAG nail; thence N 00°17'16" E 630.00 feet to a 1/2" iron pin; thence S 89°48'46" E 210.00 feet to a 1/2" iron pin on the East line of the West Half of the Southeast Quarter; thence N 00°17'31" E along the East line of the West Half of Southeast Quarter a distance of 1093.15 feet to a 1/2" iron pin; thence N 89°58'06" W 493.09 feet to a 1/2" iron pin; thence S 00°17'31" W 1721.81 feet to the point of beginning.


I further certify that the above and foregoing is a true and correct plat of the same, and that the above description was prepared by L.S. 1533 on October 30th, 2017.

Witness my hand and seal this 31st day of October, 2017.



Copyright October, 2017.

SURVEY PLAT





THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-19, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the South Half of Section 9, Township 20 North, Range 11 East, Osage County, Oklahoma, and being more particularly described as follows: Commencing at the Southwest corner of the Southeast Quarter, thence S 89°48'46" E along the South line of the Southeast Quarter a distance of 451.12 feet to the point of beginning; thence continuing S 89°48'46" E 381.46 feet to a 1/2" iron pin; thence N 00°17'31" E 1721.81 feet to a 1/2" iron pin; thence N 89°58'06" W 1149.40 feet to a 1/2" iron pin; thence S 30°54'00" E 188.35 feet to a 1/2" iron pin; thence S 39°20'04" E 182.62 feet to a 1/2" iron pin; thence S 12°56'40" E 148.91 feet to a 1/2" iron pin; thence S 25°11'51" E 141.20 feet to a 1/2" iron pin; thence S 11°30'44" E 125.18 feet to a 1/2" iron pin; thence S 12°16'01" W 130.34 feet to a 1/2" iron pin; thence S 01°30'21" W 311.89 feet to a 1/2" iron pin; thence S 18°47'18" E 100.34 feet to a 1/2" iron pin; thence S 32°23'18" E 402.38 feet to a 1/2" iron pin; thence S 55°17'03" E 264.36 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same, and that the above description was prepared by L.S. 1533 on October 30th, 2017.


Witness my hand and seal this 31st day of October, 2017.

*Brett King*  
Brett King  
1533  
Oklahoma State Board of Registration for Professional Engineers and Land Surveyors

Copyright October, 2017.



SURVEY PLAT





THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-19, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the South Half of Section 9, Township 20 North, Range 11 East, Osage County, Oklahoma, and being more particularly described as follows: Beginning at the Southwest corner of the Southeast Quarter, thence N 89°57'12" W along the South line of the Southwest Quarter a distance of 700.95 feet to a MAG nail; thence N 00°10'46" E 1273.38 feet to a 1/2" iron pin; thence S 89°57'12" E 633.71 feet to a 1/2" iron pin; thence S 25°11'51" E 141.20 feet to a 1/2" iron pin; thence S 11°30'44" E 125.18 feet to a 1/2" iron pin; thence S 12°16'01" W 130.34 feet to a 1/2" iron pin; thence S 01°30'21" W 311.89 feet to a 1/2" iron pin; thence S 18°47'18" E 100.34 feet to a 1/2" iron pin; thence S 32°23'18" E 402.38 feet to a 1/2" iron pin; thence S 55°17'03" E 264.36 feet to a MAG nail on the South line of the Southeast Quarter; thence N 89°48'46" W along the South line of the Southeast Quarter a distance of 451.12 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same, and that the above description was prepared by L.S. 1533 on October 30th, 2017.


Witness my hand and seal this 31st day of October, 2017.

*Brett King*



Copyright October, 2017.

SURVEY PLAT




THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- ▣ DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-19, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The South 1273.38 feet of the West 614.73 feet of the East Half of the Southwest Quarter of Section 9, Township 20 North, Range 11 East, Osage County, Oklahoma.


I further certify that the above and foregoing is a true and correct plat of the same, and that the above description was prepared by L.S. 1533 on October 30th, 2017.

Witness my hand and seal this 31st day of October, 2017.



Copyright October, 2017.

SURVEY PLAT





THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.




CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-19, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The North 905.76 feet of the East Half of the Southwest Quarter and the North 905.76 feet of the West Half of the Southeast Quarter of Section 9, Township 20 North, Range 11 East, Osage County, Oklahoma.

I further certify that the above and foregoing is a true and correct plat of the same, and that the above description was prepared by L.S. 1533 on October 30th, 2017.

Witness my hand and seal this 31st day of October, 2017.



Copyright October, 2017.



# LANDMARK SURVEYING, L.L.C.

Brett King, L.S.

245 South Taylor Street

Pryor, Ok. 74361

PHONE 918-825-2804

C.A. 4572 EXP. 6/30/2019

## ACCESS & UTILITY EASEMENT IN SECTION 9, TOWNSHIP 20 NORTH, RANGE 11 EAST, OSAGE COUNTY, OKLAHOMA

A 40 foot strip of land located across a portion of the South Half of Section 9, Township 20 North, Range 11 East of the Indian Meridian and Principle Base Line, Osage County, Oklahoma, the centerline of which is being more particularly described as follows: Commencing at the Southwest corner of the Southeast Quarter, thence S 89°48'46" E 451.12 feet to the point of beginning; thence N 55°17'03" W 264.36 feet; thence N 32°23'18" W 402.38 feet; thence N 18°47'18" W 100.34 feet; thence N 01°30'21" E 311.89 feet; thence N 12°16'01" E 130.34 feet; thence N 11°30'44" W 125.18 feet; thence N 25°11'51" W 141.20 feet; thence N 12°56'40" W 148.91 feet; thence N 39°20'04" W 182.62 feet; thence N 30°54'00" W 186.35 feet to the point of termination of said easement.

AND

A 40 foot strip of land located across a portion of the South Half of Section 9, Township 20 North, Range 11 East of the Indian Meridian and Principle Base Line, Osage County, Oklahoma, the North line of which is being more particularly described as follows: Commencing at the Southeast corner of the Southwest Quarter of Section 9, thence N 89°57'12" W along the South line of the Southwest Quarter a distance of 700.95 feet; thence N 00°10'46" E 1273.38 feet to the point of beginning; thence S 89°57'12" E 633.71 feet to the point of termination of said easement.

Witness my hand and seal this 31st day of October, 2017.

