


# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the Southwest Quarter of the Southwest Quarter of Section 20, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Beginning at the Southwest corner of the Southwest Quarter of the Southwest Quarter, thence N 0°13'36" W 1324.63 feet to the Northwest corner of the Southwest Quarter of the Southwest Quarter; thence S 89°52'50" E along the North line of the Southwest Quarter of the Southwest Quarter a distance of 743.09 feet to a point on the Westerly Right of Way Line of a County Road; thence S 09°22'20" E along said road a distance of 32.25 feet; thence S 00°11'40" W along said road a distance of 958.77 feet; thence N 89°57'37" W 369.57 feet; thence S 00°27'40" E 332.43 feet to a point on the South line of the Southwest Quarter; thence S 89°57'01" W 372.98 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the above described property.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- ⊙ DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREIN MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the Northwest Quarter of the Southwest Quarter of Section 20, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Beginning at the Southwest corner of the Northwest Quarter of the Southwest Quarter, thence N 0°13'36" W along the West line of the Northwest Quarter of the Southwest Quarter a distance of 1169.42 feet; thence N 89°41'32" E 594.31 feet to a point on the West line of a County Road; thence S 03°29'40" W 10.19 feet along said road; thence S 00°40'20" E 203.26 feet along said road; thence S 05°07'20" E 202.16 feet along said road; thence S 05°05'20" E 201.13 feet along said road; thence S 05°36'20" E 200.89 feet along said road; thence S 04°39'20" E 86.44 feet along said road; thence S 21°33'02" E 206.10 feet along said road; thence S 09°22'20" E 82.37 feet along said road to a point on the South line of the Northwest Quarter of the Southwest Quarter; thence N 89°52'50" W 743.09 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- ⊙ DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the Southwest Quarter of the Northwest Quarter of Section 20, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Beginning at a point on the West line of the Southwest Quarter of the Northwest Quarter and 290.23 feet North of the Southwest corner thereof; thence N 00°11'55" E along the West line of the Southwest Quarter of the Northwest Quarter a distance of 320.00 feet; thence S 89°10'36" E 271.79 feet to a point on the West line of a county road; thence S 01°08'04" E 60.28 feet along said road; thence S 18°36'04" E 94.31 feet along said road; thence S 39°01'04" E 124.13 feet along said road; thence S 36°48'25" E 87.89 feet along said road; thence N 89°57'05" W 434.95 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plot of the same.

Witness my hand and seal this 7th day of April, 2016.




Copyright April, 2016.



# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The Northeast Quarter of the Northeast Quarter of Section 19, Township 19 North, Range 10 East, Tulsa County, Oklahoma, AND A tract of land being a part of the Northwest Quarter of Section 20, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Beginning at a point on the West line of the Northwest Quarter of said Section 20 and 50 feet South of the Northwest corner thereof; thence S 00°11'55" W along the West line of the Northwest Quarter a distance of 1580.78 feet; thence S 89°37'54" E 287.31 feet; thence S 03°33'05" E 56.48 feet to a point on the Northerly side of a County road; thence N 70°31'56" E 305.99 feet along said County road; thence N 70°25'56" E 193.88 feet along said County road; thence N 70°04'56" E 195.40 feet along said County road; thence N 70°19'56" E 89.69 feet along said County road; thence N 23°55'05" W 445.67 feet; thence N 71°03'33" E 269.15 feet to a point on the West line of a County road; thence N 26°32'55" W 102.60 feet along said County road; thence N 22°10'55" W 85.17 feet along said County road; thence N 17°14'55" W 599.84 feet along said County road; thence N 22°46'55" W 9.55 feet along said County road; thence S 72°30'55" W 582.35 feet; thence N 08°41'00" W 300.85 feet to a point 50 feet South of the North line of the Northwest Quarter; thence N 89°37'54" W 267.56 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plot of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT

THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.




## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the Northwest Quarter of Section 20, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Beginning at the Northeast corner of the Northwest Quarter of Section 20; thence N 89°37'54" W along the North line of the Northwest Quarter a distance of 1809.20 feet; thence S 00°11'55" W 50.00 feet; thence S 89°37'57" E 599.56 feet; thence S 19°33'55" E 99.02 feet; thence S 66°27'05" W 255.54 feet; thence S 71°42'05" W 310.44 feet to a point on a County road right of way; thence S 17°14'55" E 409.19 feet along said County road; thence S 22°10'55" E 80.29 feet along said County Road; thence S 26°32'55" E 103.77 feet along said County road; thence N 70°29'21" E 561.99 feet; thence N 19°24'05" W 399.64 feet; thence S 53°52'05" E 632.12 feet to a point on a County road right of way; thence N 22°08'04" E 5.23 feet along said County road; thence N 42°15'57" E 673.21 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the West Half of Section 20, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Commencing at the Southwest corner of the Southwest Quarter, thence N 00°13'36" W along the West line of the Southwest Quarter a distance of 2299.01 feet; thence S 89°34'01" E 655.19 feet to the point of beginning and a point on the East line of a County road; thence N 00°40'20" W 191.55 feet along said County road; thence N 03°29'40" E 218.72 feet along said County road; thence N 08°50'26" E 99.78 feet along said County road; thence N 08°17'04" E 194.36 feet along said County road; thence N 08°31'04" E 194.84 feet along said County road; thence N 18°30'04" E 108.75 feet along said County road; thence N 44°54'04" E 95.11 feet along said County road; thence N 66°59'04" E 100.15 feet along said County road; thence N 87°39'04" E 104.49 feet along said County road; thence N 88°51'04" E 205.64 feet along said County road; thence N 85°32'04" E 95.07 feet along said County road; thence N 47°20'04" E 199.75 feet along said County road; thence N 47°32'04" E 197.08 feet along said County road; thence N 58°13'04" E 170.80 feet along said County road; thence N 59°47'04" E 58.55 feet along said County road; thence N 61°51'04" E 171.10 feet along said County road; thence S 53°12'35" E 457.97 feet; thence S 00°05'24" W 1357.89 feet; thence N 89°34'01" W 1677.22 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.




THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- ⊙ DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN  
AND USED HEREON MEANS AN EXPRESSION OF  
PROFESSIONAL OPINION REGARDING FACTS OF THE  
SURVEY AND DOES NOT CONSTITUTE A WARRANTY  
OR GUARANTEE, EXPRESSED OR IMPLIED.



CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918)-825-2804 do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land being a part of the Southwest Quarter of Section 20, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Commencing at the Southwest corner of the Southwest Quarter, thence N 89°57'01" E along the South line of the Southwest Quarter a distance of 798.72 feet; thence N 30°11'40" E 448.01 feet to the point of beginning and a point on the East line of a County road; thence N 00°11'40" E 847.37 feet along said County road; thence N 09°22'20" W 125.38 feet along said County road; thence N 20°17'20" W 98.32 feet along said County road; thence N 04°59'20" W 77.49 feet along said County road; thence N 05°05'20" W 200.87 feet along said County road; thence N 05°07'20" W 5.93 feet along said County road; thence S 89°28'20" E 867.36 feet; thence N 00°23'20" E 213.38 feet; thence S 89°34'01" E 891.42 feet; thence S 89°28'20" E 1291.04 feet; thence N 89°35'22" W 996.40 feet; thence S 00°10'13" E 541.29 feet; thence S 89°48'59" W 525.97 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plot of the same.

Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

[illegible]

Witness my hand and seal this 7th day of April, 2016.

- ⊙ DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN


THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.





# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A part of the East Half of Section 20, and a tract of land being a part of the Southwest Quarter of Section 21, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Beginning at the Southwest corner the Northeast Quarter of the Northeast Quarter, thence S 00°00'28" W 3158.10 feet; thence S 56°50'28" E 209.41 feet; thence N 50°55'18" E 1864.91 feet; thence N 51°39'39" E 968.48 feet; thence N 42°19'52" E 118.23 feet; thence N 25°15'33" E 88.85 feet to a point on the North line of the Southwest Quarter of Section 21; thence S 89°57'08" W 1175.23 feet to the Southwest corner of the Northwest Quarter of Section 21; thence N 00°09'19" W 1322.06 feet to the Southeast corner the Northeast Quarter of the Northeast Quarter of Section 20; thence N 89°40'38" W 1320.96 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- ⊙ DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The Northwest Quarter of Section 21, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES FOUND ORIGINAL STONE OR SET MAG NAIL
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.




## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A part of the East Half of Section 20, and a tract of land being a part of the Southwest Quarter of Section 21, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: Beginning at the Northeast corner of the Northwest Quarter of the Southwest Quarter of Section 21, thence S 00°09'03" W 1986.34 feet to the Southeast corner of the North Half of the Southwest Quarter of the Southwest Quarter; thence N 89°58'39" W 1320.17 feet to the Southwest corner of the North Half of the Southwest Quarter of the Southwest Quarter; thence S 00°02'00" E 661.57 feet to the Southeast corner of Section 20; thence N 89°26'19" W along the South line of Section 20 a distance of 1492.50 feet; thence N 01°45'49" E 33.02 feet; thence S 89°26'22" E 331.95 feet; thence N 36°10'06" E 57.52 feet; thence N 12°24'18" W 184.13 feet; thence N 04°02'29" W 125.03 feet; thence N 04°01'03" W 199.92 feet; thence N 21°22'09" W 116.33 feet; thence N 50°55'18" E 1864.91 feet; thence N 51°39'39" E 968.48 feet; thence N 42°19'52" E 118.23 feet; thence N 25°15'33" E 88.85 feet to a point on the North line of the Southwest Quarter of Section 21; thence N 89°57'08" E 151.33 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same.

Witness my hand and seal this 7th day of April, 2016.




Copyright April, 2016.



# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- ▣ DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



LOCATION MAP  
SCALE 1"=2640'


## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-625-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The following described tract of land in the Northeast Quarter of the Northwest Quarter of the Southwest Quarter of Section 29, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, and being more particularly described as follows: From the Southwest corner of Section 29, go 1927.1 feet North and 1139.5 feet East to the point of beginning; thence East 185 feet; thence North 722 feet; thence West 185.2 feet; thence 722 feet South to the point of beginning.

I further certify that the above and foregoing is a true and correct plot of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



LOCATION MAP  
SCALE 1"=2640'

## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The North Half of the Northwest Quarter of the Northeast Quarter of the Northwest Quarter and the South Half of the North Half of the Northeast Quarter of the Northeast Quarter of the Northwest Quarter and the North Half of the South Half of the Northeast Quarter of the Northeast Quarter of the Northwest Quarter of Section 32, Township 19 North, Range 10 East, Tulsa County, Oklahoma.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



LOCATION MAP  
SCALE 1"=2640'

## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The North Half of the South Half of the Northeast Quarter of the Northwest Quarter and the South Half of the South Half of the Northwest Quarter of the Northwest Quarter of Section 32, Township 19 North, Range 10 East, Tulsa County, Oklahoma.

I further certify that the above and foregoing is a true and correct plat of the same.

Witness my hand and seal this 7th day of April, 2016.




Copyright April, 2016.



# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- ⊠ DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



LOCATION MAP  
SCALE 1"=2640'


## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The Southeast Quarter of the Northwest Quarter and the West Half of the West Half of Southwest Quarter of the Northeast Quarter of Section 32, Township 19 North, Range 10 East, Tulsa County, Oklahoma.

I further certify that the above and foregoing is a true and correct plot of the same.

Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.




# SURVEY PLAT

THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.

BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



LOCATION MAP  
SCALE 1"=2640'

## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The Southwest Quarter of the Northwest Quarter and the Southwest Quarter of the Northwest Quarter of the Northwest Quarter of Section 32, Township 19 North, Range 10 East, Tulsa County, Oklahoma.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT


THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- ⊠ DENOTES SET 1/2" IRON PIN W/CAP
- ⊙ DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The Northeast Quarter of the Southeast Quarter of the Northwest Quarter of the Northwest Quarter of Section 32, Township 19 North, Range 10 East, Tulsa County, Oklahoma.

I further certify that the above and foregoing is a true and correct plot of the same.

Witness my hand and seal this 7th day of April, 2016.




Copyright April, 2016.



# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- ⊠ DENOTES SET 1/2" IRON PIN W/CAP
- ⊙ DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The East Half of the West Half of the Northeast Quarter of the Northwest Quarter of the Northwest Quarter and the Northeast Quarter of the Northeast Quarter of the Northwest Quarter of the Northwest Quarter of Section 32, Township 19 North, Range 10 East, Tulsa County, Oklahoma.

I further certify that the above and foregoing is a true and correct plat of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

The Southeast Quarter of the Southeast Quarter of Section 30, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma, LESS AND EXCEPT the From the Southeast corner of said Section 30, go 25 feet North and 25 feet West to the point of beginning; thence North 629.0 feet; thence West 185 feet; thence South 629 feet; thence East 185 feet to the point of beginning AND LESS from the Southeast corner of said Section 30, go 25 feet North and 210 feet West to the point of beginning; thence North 629 feet; thence West 185 feet; thence South 629 feet; thence East 185 feet to the point of beginning AND LESS from the Southeast corner of said Section 30, go 25 feet North and 580 feet West to the point of beginning; thence North 629 feet; thence West 185 feet; thence South 629 feet; thence East 185 feet to the point of beginning AND LESS from the Southeast corner of said Section 30, go 704 feet North and 25 feet West to the point of beginning; thence North 620 feet; thence West 201.7 feet; thence South 620 feet; thence East 201.7 feet to the point of beginning AND LESS from the Southeast corner of Section 30, go 704 feet North and 226.7 feet West to the point of beginning; thence North 620 feet; thence West 185 feet; thence South 620 feet; thence East 185 feet to the point of beginning; AND LESS from the Southeast corner of Section 30 go 704 feet North and 411.7 feet West to the point of beginning; thence North 620 feet; thence West 185 feet; thence South 620 feet; thence East 185 feet to the point of beginning; AND LESS from the Southeast corner of Section 30 go 654 feet North to the point of beginning; thence West 1135 feet parallel to the South line of the Southeast Quarter of the Southeast Quarter; thence North 25 feet; thence West 18.7 feet; thence North 25 feet; thence East 1151.7 feet parallel to the South line of the Southeast Quarter of the Southeast Quarter to a point on the East line of the Southeast Quarter of the Southeast Quarter; thence South 50 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plot of the same.


Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.

# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



LOCATION MAP  
SCALE 1"=2840'

## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-825-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land in the Southwest Quarter of the Southwest Quarter of Section 29, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma and being more particularly described as from the Southwest corner of Section 29, go North 1274 feet and 395 feet East to the point of beginning; thence South 620 feet; thence East 568.4 feet; thence North 310 feet; thence West 185.15 feet; thence North 310 feet; thence 383.25 feet West to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same.

Witness my hand and seal this 7th day of April, 2016.




Copyright April, 2016.



# SURVEY PLAT



THIS PLAT OF SURVEY MEETS THE OKLAHOMA MINIMUM STANDARDS FOR THE PRACTICE OF LAND SURVEYING AS ADOPTED BY THE OKLAHOMA STATE BOARD OF REGISTRATION FOR PROFESSIONAL ENGINEERS AND LAND SURVEYORS.



BASIS OF BEARINGS: TRUE BEARINGS DERIVED FROM GPS OBSERVATIONS

- DENOTES SET MAG NAIL W/FLASH
- DENOTES SET 1/2" IRON PIN W/CAP
- DENOTES FOUND IRON PIN

THE WORD CERTIFY OR CERTIFICATE AS SHOWN AND USED HEREON MEANS AN EXPRESSION OF PROFESSIONAL OPINION REGARDING FACTS OF THE SURVEY AND DOES NOT CONSTITUTE A WARRANTY OR GUARANTEE, EXPRESSED OR IMPLIED.



LOCATION MAP  
SCALE 1"=2640'


## CERTIFICATE

I, Brett King, the undersigned, a Registered Professional Land Surveyor L.S. 1533, in the State of Oklahoma, of Landmark Surveying, C.A. 4572 6-30-17, of 245 South Taylor, P.O. Box 1328, Pryor, Oklahoma (918-B25-2804) do hereby certify that a careful survey of the following described property was made under my supervision:

A tract of land in the Northwest Quarter of the Southwest Quarter of Section 29, Township 19 North, Range 10 East of the Indian Meridian and Principle Base Line, Tulsa County, Oklahoma and being more particularly described as from the Southwest corner of Section 29, go North 1930.7 feet and 395 feet East to the point of beginning; thence South 606.7 feet; thence East 568.7 feet; thence North 306.65 feet; thence 485.53 feet Northwesterly to a point 185 feet East of the point of beginning; thence West 185 feet to the point of beginning.

I further certify that the above and foregoing is a true and correct plat of the same.

Witness my hand and seal this 7th day of April, 2016.



Copyright April, 2016.